

Full grain leather



740g⁽¹⁾

⁽¹⁾ Approximative weight of a shoe (smaller size)



>> Use (*)

Thanks to its technical characteristics this product is ideal for your work in the industrial sector, production and repair workshop etc.

Maintenance worker, mechanic, fitter, assembly line driver, coachbuilder ...

>> Technical features

- ✓ High cut safety ankle boots.
- ✓ Top upper with lining.
- ✓ Full piece removable footbed.
- ✓ Tongue gusset.
- ✓ Textile pierce resistant midsole.
- Energy absorbing heel.
- ✓ Fastening with laces, eyelets and hooks.
- ✓ Colour: black.
- ✓ Sizes: 39 to 47.
- ✓ Packaging: - Carton of 10 pairs.
- Each pair individually packed in a box.



Learn more: www.singer.fr

>> Advantages

- ✓ Convenient full piece and removable footbed. Dual-density PU outsole.
- ✓ Energy absorption of heel. Comfortable and lightweight shoe.
- ✓ Soft and lightweight textile pierce resistant midsole. Quality of raw material and workmanship.
- ✓ Composite toe-cap.
- ✓ Good ankle support.

>> Compliance



This safety shoe has been tested according to the following European Standard (Category II).

- EN ISO 20345: 2012. Personal protective equipment - Safety footwear.

It complies with the European Regulation (EU) 2016/425 on Personal Protective Equipment (PPE).

EU type examination certificate (module B) issued by CIMAC (Italy), notified body n°0465.



Protection	Symbol S3	Basic properties plus (Toe protection against shocks equivalent to a level of energy equal to 200J and the risks of flattening under a maximal weight of 15Kn.) + closed backpart + antistatic properties + energy absorption of the heel + resistance to fuel oil + water penetration and water absorption + anti-puncture sole + studded sole.
Slip resistance	Symbol SRC	(= SRA + SRB) Slip resistance on ceramic tile floor with SLS and on steel floor with glycerol

Your distributor **SINGER® SAFETY**

